


# **ABSTRACT OF THE DISCLOSURE**

An ink jet ink set comprising: a) a cyan ink comprising a carrier and a sulfonated copper phthalocyanine dye; b) a magenta ink comprising a carrier and an anthrapyridone magenta dye or metal complex magenta dye, or azo-naphthol derivative magenta dye or mixture thereof; c) a yellow ink comprising a carrier and an azo-aniline yellow dye or metal complex yellow dye or mixtures thereof; and d) a trisazo black dye of the following structure



where Met is a metal atom, preferably Al, Co, Cr, Cu, Fe, or Ni; R<sub>1</sub> is a phenyl or naphthalene radical substituted by 1, 2 or 3 substituents selected from the group consisting of OH, O(C1-C6)-alkyl, COOM, SO<sub>3</sub>M and NH<sub>2</sub>; R<sub>2</sub> is C1-C6-alkyl, n is 0 or 1, X is a chemical bond or -CO- or -SO<sub>2</sub>-; R<sub>3</sub> is H, methyl or O(C1-C6)-alkyl; R<sub>4</sub> and R<sub>5</sub> are each H, COOM or SO<sub>3</sub>M; R<sub>6</sub> is a phenyl, pyridyl or pyrazole radical substituted by 1,2 or 3 substituents selected from the group consisting of OH, O(C1-C6)-alkyl, COOM, SO<sub>3</sub>M, NH<sub>2</sub>, NHaryl, NHacyl and phenylsulfo; and M is ammonium, H, K, Li, or Na.